



CorePro LEDbulb

CorePro LEDbulb ND 5.5-40W A60 E27 827

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

Product data


General Information		Wattage Equivalent	
Cap-Base	E27 [E27]	40 W	
Bulb Shape	A60 [A 60mm]	Starting Time (Nom)	
Nominal Lifetime (Nom)	15000 h	0.5 s	
Switching Cycle	50000X	Warm Up Time To 60% Light (Nom)	
Technical Type	5.5-40W	0.5 s	
Light Technical		Power Factor (Nom)	
Color Code	827 [CCT of 2700K]	0.5	
Beam Angle (Nom)	200 °	Voltage (Nom)	
Luminous Flux (Nom)	470 lm	220-240 V	
Luminous Flux (Rated) (Nom)	470 lm	Temperature	
Color Designation	Warm White (WW)	T-Case Maximum (Nom)	
Correlated Color Temperature (Nom)	2700 K	84 °C	
Luminous Efficacy (rated) (Nom)	85.00 lm/W	Controls and Dimming	
Color Consistency	<6	Dimmable	
Color Rendering Index (Nom)	80	No	
LLMF At End Of Nominal Lifetime (Nom)	70 %	Mechanical and Housing	
Operating and Electrical		Bulb Finish	
Input Frequency	50 to 60 Hz	Frosted	
Power (Rated) (Nom)	5.5 W	Approval and Application	
Lamp Current (Nom)	55 mA	Energy Saving Product	
		Yes	
		Suitable For Accent Lighting	
		No	
		Energy Efficiency Label (EEL)	
		A+	
		Energy Consumption kWh/1000 h	
		6 kWh	
		Product Data	
		Full product code	
		871869657757800	

CorePro LEDbulb

Order product name	CorePro LEDbulb ND 5.5-40W A60 E27 827
EAN/UPC - Product	8718696577578
Order code	929001234202
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10

Material Nr. (12NC)	929001234202
Net Weight (Piece)	0.076 kg

Dimensional drawing



Product	D	C
CorePro LEDbulb ND 5.5-40W A60 E27 827	60 mm	110 mm

Entrybulb 230V 6W-40W 470lm 2700K E27 ND

Photometric data

General Uniform Lighting

