

# Installation instructions for the Yepp® Mini

The Yepp Mini is suitable for carrying children up to a maximum weight of 15 kg (about 3 years old) and meets European standard EN 14344. Do not use the seat if your child can't sit upright, at least for the time of the journey.

The Yepp Mini with its stem adapter is suitable for common bicycles with 26 or 28 inch wheels and a round steel stem with diameter of 21 - 28 mm.

#### Installation:

020402).

- Assemble the seat (pic.1). Tighten both hexagon screws firmly tight (torque 4Nm).
- Attach the handlebar stem fitting to the handlebar (pic.3). Tighten both Hexagon screws firmly tight (torque 8Nm).
   If you have a Ahead type handlebar system, you can use our special Ahead adapter (art.
- The Yepp Mini is attached in two stages. Press the red button on the bottom and pull simultaneously the grey handle to the rear (pic.4a). Position the seat over the lip on the clamp. Release the slide and push the seat straight down until it clicks into place (pic.4b). This means that the seat is secured automatically. Check this by pulling the seat upwards. If it's secured properly, you will not be able to pull it out.
- For additional safety, **always** lock the seat (**pic.4a**). Make a note of the key number so you can get a replacement if the original key is lost.
- To remove the seat, perform the above actions in reverse order (pic.8a+b).
- Place your child in the seat and position the footrests to the correct height (**pic.6**). Connect the straps once the footrests are in the correct position.
- Close the 5-point harness and adjust it to the correct length (**pic.7**). To open the buckle: press both halves of the clip in and push both sides at the same time.

#### **Instructions for use:**

- Make a test ride, without your child, to see of everything is mounted correctly and the seat does not affect the cycling and everything is still functioning.
- Always close the straps. Make sure your child is not able to remove its feet, but be sure the child is not hurt if they are too tight.
- Cleaning of the Yepp Mini is simple: clean with lukewarm soapy water. Never use aggressive cleaning agents.
- If you have any doubts regarding the assembly of this seat on your bicycle, we recommend you obtain further information from your bicycle dealer.

#### Warnings and Safety advices:

- WARNING! Never modify the seat yourself.
- Always remove the seat when putting the cycle on a cycle carrier on a car.
- **WARNING!** Do not use the seat if any part of it is faulty. Any broken part must be replaced immediately. Consult your dealer.
- WARNING! Never leave your child unattended in the seat.
- **WARNING!** Note that cycling with a child in a child seat can affect the way the cycle behaves, especially when going round corners and when riding off. Use the Yepp Mini only on bicycles that are suitable for carrying the extra load. Check the manual of the bicycle or ask the bicycle manufacturer for advice.
- **WARNING!** Never carry bags or other luggage in the seat. If you will carry additional loads, they should be placed at the opposite site of the bicycle, for instance when you use a front seat you should place the luggage on the rear luggage carrier.
- Check after assembling if all fasteners are tightened properly and everything functions correct.
- Make sure that the Yepp Mini is locked at all times by turning the anti-theft lock in the in "lock" position with the adjunct key (**pic.7b**). This is safe and prevents possible theft of your



Yepp Mini. Keep the key code for reference, you will need it when you want to order spare keys.

- The Yepp Mini with its stem fixture is EXCLUSIVELY suitable for mounting on **steel stems** with a diameter of 21 28 mm. For special Ahead handlebar systems a special adapter is available (art. 020402)
- The Yepp Mini is not suitable for use on lightweight (e.g. carbon) frames, always consult your dealer or the manufacturer.
- The Yepp Mini is not suitable for use on a moped. The use on E-bikes is allowed.
- The Yepp Mini is designed for average daily use. It is not meant to be used on extreme circumstances such as off-road or ATB-courses
- Make sure that the Yepp Mini is always fully clicked on the adapter. The grey handle must always be fully closed.
- Always fasten the straps, even if you are not carrying a child in the seat.
- Always use the foot support straps.
- GMG recommends that your child wears a properly-fitting helmet.
- Make sure your child is warmly dressed as they will be sitting still and will therefore be more sensitive to the cold.
- Use a good two-legged stand.
- Please do not transport children under the age of 9 months or lighter than 9 kg and/ or children who are still too small to sit independently at least for the time as the intended cycle journey.
- Never carry two children in one seat.
- Never lift the Yepp Mini with your child still seated.
- Make sure the sun did not overheat your Yepp Mini before placing your child.
- Check regularly that your child has not become too heavy or too tall for the Yepp Mini. The
  maximum weight is 15 kg and the maximum age is 3 years. For bigger children GMG offers
  the Yepp Maxi.
- Check regularly if all fasteners are sufficiently tight.
- Check of the use of the Yepp Mini is permitted by law in the country you want to use it.
- The minimum age for a cyclist to carry a child in a Yepp Mini is 16 years. The applicable legislation may vary by country.
- Check regularly that limbs and clothing cannot come near rotating or moving parts of the bicycle. For instance a foot in the spokes or a finger in the brake mechanism.
- If your saddle has coil springs, cover them with protectors so that your child's fingers cannot become trapped in them.
- Always replace the seat after an accident, even there is no visible damage.
- Additional stem adapters are available for attaching the seat on a second bicycle.

#### **Guarantee:**

GMG guarantees that this product has been manufactured according to the latest European safety standards and quality requirements for this product and that this product at the time of purchasing has no defect in workmanship and material. During production various quality checks have been performed. In case, despite all our efforts, during our guarantee period of 24 months, this product shows a material and/or manufacturing fault (with normal use as described in this manual), than GMG is required to respect this guarantee. In that case please contact your dealer. For detailed information on the application of the guarantee you can contact your dealer.

#### The guarantee is excluded in the following cases:

- In case of use different than described in the manual.
- The product is brought for repair through a not authorized dealer.
- The product is not presented with the original proof of purchase to the manufacturer.
- Repairs were performed by third party or not authorized retailer.



- The defect was caused by misuse, careless use or maintenance, by neglect or impact damage to the seat and/or frame.
- In case of normal wear to parts, which you may expect during daily use of a product.

#### Since when?

The guarantee term starts at the date of purchasing of the product.

#### For what period?

The guarantee is for a period of 24 consecutive months. The guarantee is only for the first owner and cannot be transferred.

### What do you have to do?

After purchasing the product you must carefully keep the proof of purchase. The date of purchasing must be clearly visible on the proof of purchase. In case of any problems or defects you have to go to the retailer. You cannot demand exchange or return. Repairs will not affect the duration of the guarantee. Products sent directly to the manufacturer are **not** eligible for guarantee.

This warrantee is according to the European Standard 99/44/EG dated May 25th 1999.

#### **Guarantee specifications:**

	< 6 months after purchase	> months after purchase
Fading		?
Corrosion	$\checkmark$	?
Harness wear	$\checkmark$	?
Feet rests	$\checkmark$	?
√ = Guarantee		? = Guarantee possible after inspection


Rights of modifications reserved


GMG by - Tingietersweg 125 - 2031 ER Haarlem - The Netherlands - www.yepp.nl


# Yepp<sup>®</sup>


# MONTAGEVOORSCHRIFT YEPP MINI INSTALLATION INSTRUCTIONS FOR THE YEPP MINI


## MANUEL D'INSTALLATION DU YEPP MINI MONTAGEANLEITUNG FÜR DEN YEPP MINI
























MAX 15 KG CHILDSEAT C15 EN 14344 CLASS C PATENT PENDING







www.yepp.nl

GMG004 (061011)